



STOCK SPRINGS & CUSTOM SPRINGS




LeeP™ plastic composite
compression springs




Bantam™ Mini
compression springs




REDUX™ wave springs



Constant force springs



Compression springs




Die springs



Extension springs



Torsion springs



Belleville spring washers




Spring selection kits

Lite Pressure™
compression springs

Continuous
length springs

Battery springs

Custom springs
Spring design and
manufacture service



Call: +44 (0)118 978 1800






Visit: www.leespring.com or www.leespring.co.uk | Fax: +44 (0)118 977 4832 | Email: sales@leespring.co.uk

Benefit from the Lee Spring Difference

Lee Spring Europe offers around 17,000 stock springs packed with all these extras at no additional charge.


Plating

On all music wire stock springs



Grinding

On all standard stock compression springs



Passivation

On 302, 316 & 17-7 stainless steel stock springs



Expert engineering assistance

On stock and custom springs



Certificate of compliance

On all stock springs

Guaranteed RoHS compliance

Live customer service support

Enhanced CAD downloads

On stock spring designs

Comprehensive website with on-line ordering

FREE postage to many locations



Call: +44 (0)118 978 1800

Visit: www.leespring.com or www.leespring.co.uk | **Fax:** +44 (0)118 977 4832 | **Email:** sales@leespring.co.uk

FROM 10 TO 10 MILLION. STOCK SPRINGS OR CUSTOM SPRINGS.

If you need it, we can do it. If you think it, we can make it.

STOCK SPRINGS

Lee Spring, with European headquarters in the UK, is one of the largest stockists of catalogue spring products meeting the needs of customers in a vast range of industries across the region.

In this catalogue you'll find thousands of springs, including the innovative LeeP™ high performance plastic composite springs, Bantam™ Mini compression springs, Redux™ wave springs and Lite Pressure™ compression springs.

Our complete portfolio comprises compression, die, extension, continuous length, torsion, battery and constant force springs as well as Belleville spring washers.

All these products are available for despatch within 24 hours.

CUSTOM DESIGN AND MANUFACTURING

Lee Spring boasts 20 dedicated spring engineers, with a combined total of 200 years of spring engineering experience, who provide expert consultancy to our customers. Our design and manufacturing capability is limited only by the imagination of engineers.

Custom designs are normally considered when either the performance characteristics required or physical size and configuration exceed the scope of what is available from our comprehensive stock range.

On page 174 you will find a glossary to help you specify a spring to match your application. Starting on page 163 there are specification forms for compression, extension, torsion, conical, swivel hook, drawbar constant force and wave springs.

Our dedicated customer service and technical teams are always on hand to help you find the right solution for your specific application.



SPRING KITS

Formulated with research and development engineers, technicians and maintenance engineers in mind, our spring kits comprise a selection of different sizes and are available for standard compression, extension, torsion and instrument springs.

QUALITY



Our quality system meets the requirements of BS EN ISO 9001-2008 – certificate no. 5692. This underlines our commitment to totally quality management.

ROHS COMPLIANT

All our springs satisfy EU Directives on the Restriction of Hazardous Substances (RoHS) 2002 96/EC.

Batch traceability is a standard procedure on all orders, regardless of quantity. Batch codes are fixed to all packages prior to despatch (the same coding appears on customers' packing notes and our file records). Full traceability is achieved from raw material intake to finished products. A Certificate of Conformity is issued free with every packing note. Additional copies are charged at £10.00 (€13.00) per copy, per spring type.



CUSTOMER SERVICE

Whatever your requirements; springs for repair or maintenance, development work or batch production, our trained telephone sales staff will help you select springs from this catalogue.

We can accept credit card transactions and open accounts for new customers immediately.

Whether you are ordering five springs or millions, we welcome every enquiry and each order receives the same professional service.



SPRING MATERIALS

Our spring range is manufactured from materials to military, aerospace and/or equivalent British or DIN standards. Standard music wire and oil tempered MW springs are zinc plated, passivated and fully de-embrittled while our stainless steel springs are passivated to optimise their corrosion resistance.

Springs manufactured in type 316 stainless steel offer excellent corrosion resistance in chloride environments, purity levels are higher and therefore colour is more consistent. Our type 316 springs are ultrasonically cleaned as well as passivated to offer medical and food grade levels of cleanliness.

Our LeeP™ plastic composite springs are manufactured in Ultem* PEI resin rendering them inert and non magnetic. Other advantages include high strength to weight ratios that optimise performance while reducing mass, excellent stability of physical and mechanical properties at elevated temperatures, high corrosion resistance, low flammability, toxicity and recyclability.

Our smallest Bantam™ Mini spring features a wire diameter size of 0.102mm – just slightly thicker than a human hair. To meet the performance needs of a diverse range of applications these springs are manufactured in Elgiloy, a cobalt-chromium-nickel alloy known for its high strength. It performs well in temperatures up to 454°C and is non-magnetic.

**Ultem resin is produced by SABIC Innovative Plastics, a leader in engineered thermoplastic material solutions.*

ORDER ONLINE

Order springs online at www.leespring.com or www.leespring.co.uk

Via our website you can also access a vast engineering database that will help you calculate spring characteristics and select types to meet specific performance and application criteria.

When you have selected a spring full technical details, including dimensions and loads can be accessed along with price information.

Users can view and manipulate stock spring images and download 3D or 2D CAD models in all major platforms or view and save images as .jpg or .tiff files.





Lee Spring®

EUROPE ASIA NORTH & SOUTH AMERICA



European Headquarters

Lee Spring Limited
Latimer Road, Wokingham,
Berkshire, RG41 2WA, UK

International Locations

NORTH AMERICA

Lee Spring
140 58th Street,
Brooklyn,
NY 11220
Phone: 888-777-4647
Fax: 888-462-6655
Email: sales@leespring.com

MEXICO AND LATIN AMERICA

Lee Spring de México
Ave. Apolo 519, Edificio 22
Parque Industrial Kalos del Poniente
Carretera Monterray-Salltiullo Km.9
Santa Catarina, N.L. 66367
Phone: 01 (800) 590 0717 (Mexico)
(011) 52 818 308 7070
Fax: (011) 52 818 308 7080
Email: ventas@leespring.com

ASIA

Lee Spring Company (Shanghai) Ltd.
305, The Point Jingan, 555 Anyuan Road
Jingan District, Shanghai 200040, PRC
Phone: (011)-86 -21- 3221 0289
(011) -86-400-820-3855
Fax: (011)-86 -21- 3221 0035
(011) -86-400-820-3856
Email: info@leespring.cn

Four Simple Ways to Order:

Call: +44 (0)118 978 1800 | **Fax:** +44 (0)118 977 4832

Email: sales@leespring.co.uk | **Visit:** www.leespring.com or www.leespring.co.uk